

# Pro Power 0W/20 C5 ECO

#### ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Pro Power 0W/20 C5 ECO
Product code	A340
1.2 Relevant identified uses of the subst	ance or mixture and uses advised against
Identified Use(s)	Lubricating oil
Uses Advised Against	Not known.
1.3 Details of the supplier of the safety of	lata sheet
Manufacturer	
Company Identification	Rapid Group UK
Address of Manufacturer	Rutland Mill,
	Adelaide Street,
	Bolton,
Postal code	BL3 3NY
Telephone:	01204 324 268
Supplier	
Company Identification	Rapid Ireland
Address of Supplier	Rock Street,
	Tralee,,
	Co Kerry
Postal code	V92 WR9P
Telephone:	+353 151 363 47
1.4 Emergency telephone number	
Emergency Phone No.	999
Contact	NHS

## SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Not classified as dangerous for supply/use.
According to Regulation (EC) No. 1272/2008 (CLP)
Pro Power 0W/20 C5 ECO
None.
None.
None.
P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.



# Pro Power 0W/20 C5 ECO

#### 2.3 Other hazards

EUH208: Contains: (Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts) May produce an allergic reaction.

# 2.4 Additional Information

None.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.

## 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration			
		No.			
Lubricating oils (petroleum), C20-50,	72623-87-1	276-738-4	50 -	Asp. Tox. 1 H304	GHS08
hydrotreated neutral oil-based Baseoil -			90		
unspecified					
reaction mass of isomers of: C7-9-alkyl 3-(3,5-	125643-61-0	406-040-9	<0.6	Aquatic Chronic 4 H413	None
di-tert-butyl-4-hydroxyphenyl)propionate					
Benzenamine, N-phenyl-, reaction products	68411-46-1	270-128-1	< 1	Aquatic Chronic 3 H412	None
with 2,4,4-trimethylpentene					
Phosphorodithioic acid, mixed O,O-bis(2-	85940-28-9	288-917-4	< 2	Skin Irrit. 2 H315	GHS05
ethylhexyl and iso-Bu and iso-Pr) esters, zinc				Eye Dam. 1 H318	GHS07
salts				Aquatic Chronic 2 H411	GHS09
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7	< 1	Skin Sens. 1B H317	GHS07
reaction product of cocoalkyldiethanolamides		430-380-7	< 1	Aquatic Chronic 2 H411	GHS09
and cocoalkylmonoglycerides and		+30-300-7			011009
molybdenumtrioxide (1.75-2.2: 0.75-1.0:0.1-					
1.1)					
calcium dihydroxide	1305-62-0	215-137-3	< 1	Skin Irrit. 2 H315	GHS05
				Eye Dam. 1 H318	GHS07
				STOT SE 3 H335	
diphenylamine	122-39-4	204-539-4	< 0.5	Acute Tox. 3 H301	GHS06
			0.0	Acute Tox. 3 H311	GHS08
					GHS09
				Acute Tox. 3 H331 STOT RE 2 H373 Aquatic Acute 1 H400	GHS09



# = Pro Power 0W/20 C5 ECO

				Aquatic Chronic 1 H410	
Distillates (petroleum), hydrotreated middle	64742-46-7	265-148-2	< 0.5	Asp. Tox. 1 H304	GHS08
Gasoil - unspecified [A complex combination				Skin Irrit. 2 H315	GHS07
of hydrocarbons obtained by treating a				Acute Tox. 4 H332	GHS09
petroleum fraction with hydrogen in the				Carc. 1B H350	
presence of a catalyst. It consists of				STOT RE 2 H373	
hydrocarbons having carbon numbers				Aquatic Chronic 2 H411	
predominantly in the range of C11 through C25					
and boiling in the range of approximately					
205 °C to 400 °C (401 °F to 752 °F).]					

HAZARDOUS INGREDIENT(S)	CAS No.	Specific	M-	ATE
		Concentration	factor	
		Limit		
diphenylamine	122-39-4			Acute Tox.
				3 (H301)
				:100.000
				Acute Tox.
				3 (H311)
				:300.000
				Acute Tox.
				3 (H331) :
				3.000
Distillates (petroleum), hydrotreated middle Gasoil - unspecified [A complex	64742-46-7			Acute Tox.
combination of hydrocarbons obtained by treating a petroleum fraction with				4 (H332) :
hydrogen in the presence of a catalyst. It consists of hydrocarbons having				11.000
carbon numbers predominantly in the range of C11 through C25 and boiling				
in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]				

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

4.2 Most important symptoms and offects		both south and delayed
	Ingestion	Wash out mouth with water.
	Eye Contact	Flush eyes with water for at least 15 minutes.
	Skin Contact	Wash skin with water.
		comfortable for breathing.
Inhalation		If breathing is difficult, remove victim to fresh air and keep at rest in a position

4.2 Most important symptoms and effects, both acute and delayed



Date of Revision: 24-10-2024

# Pro Power 0W/20 C5 ECO

May cause an allergic skin reaction.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media					
Suitable Extinguishing media	Foam, CO <sub>2</sub> or dry Powder.				
Unsuitable extinguishing media	Do not use water.				
5.2 Special hazards arising from the sub	5.2 Special hazards arising from the substance or mixture				
	None anticipated. Heating may cause decomposition.				
5.3 Advice for firefighters					
	As appropriate for surrounding fire.				

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures					
	Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.				
6.2 Environmental precautions					
	Do not release large quantities into the surface water or into drains.				
6.3 Methods and material for containment	nt and cleaning up				
	Adsorb spillages onto sand, earth or any suitable adsorbent material.				
6.4 Reference to other sections					
	See Also Section 8, 13.				

#### SECTION 7: HANDLING AND STORAGE

Not known.
ng any incompatibilities
Ambient.
Stable under normal conditions.
None known.
Lubricating oil

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occu	pational	Exposure	Limits



# Pro Power 0W/20 C5 ECO

SUBSTANCE.	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	Note
		ppm)	mg/m³)	(ppm)	(mg/m³)	
Calcium hydroxide	1305-62-0		5			
Calcium hydroxide - Respirable	1305-62-0		1		4	
fraction						
Diphenylamine	122-39-4		10		20	

Region	Source	

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

#### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment

	Eye Protection	Wear eye protection with side protection (EN166).	
	Skin protection	Wear Impervious Gloves (EN374)	
	Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
	Thermal hazards	None known.	

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Amber
Odour	Characteristic odour
Melting point/freezing point	Not known.
Boiling point or initial boiling point and	Not known.
boiling range	
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	>200 °C
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pН	Not known.
Kinematic Viscosity	=41 mm²/s 40 °C



# = Pro Power 0W/20 C5 ECO

Solubility	Solubility (Water) : Not known.
	Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log	Not known.
value)	
Vapour pressure	Not known.
Density and/or relative density	Density (g/ml): 0.844 g/cm <sup>3</sup> - Relative density: 15 °C
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	

# SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	
	None anticipated.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous reactions	
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	None anticipated.
10.5 Incompatible materials	
	Not known.
10.6 Hazardous decomposition products	
	No hazardous decomposition products known.

# SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000
Acute toxicity - Skin Contact	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000
Acute toxicity - Inhalation	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 30697.67000
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Not classified.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.



Date of Revision: 24-10-2024

# Pro Power 0W/20 C5 ECO

Aspiration hazard	Not classified.
11.2 Information on other hazards	

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.	
Toxicity - Fish	Low toxicity to fish.	
Toxicity - Algae	Low toxicity to algae.	
Toxicity - Sediment Compartment	Not classified.	
Toxicity - Terrestrial Compartment	Not classified.	
12.2 Persistence and degradability		
	Not known.	
12.3 Bioaccumulative potential		
	Not known.	
12.4 Mobility in soil		
	Not known.	
12.5 Results of PBT and vPvB assessment		
	Not known.	
12.6 Endocrine disrupting properties		
	None known.	
12.7 Other adverse effects		
	Not known.	

# SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

No special precautions are required for this product.

# SECTION 14: TRANSPORT INFORMATION Not classified as hazardous for transport. 14.1 UN number or ID number Not applicable 14.2 UN proper shipping name Not applicable 14.3 Transport hazard class(es) Not applicable 14.4 Packing group Not applicable



# = Pro Power 0W/20 C5 ECO

14.5 Environmental hazards		
	Not classified as a Marine Pollutant.	
14.6 Special precautions for user		
	Not known	
14.7 Maritime transport in bulk accordin	ig to IMO instruments	
	Not known	
SECTION 15: REGULATORY INFORMATION		
<b>15.1 Safety, health and environmental re</b> European Regulations - Authorisations Candidate List of Substances of Very	egulations/legislation specific for the substance or mixture and/or Restrictions On Use Not listed	
High Concern for Authorisation		

High Concern for Authorisation	
REACH: ANNEX XIV list of substances	Not listed
subject to authorisation	
REACH: Annex XVII Restrictions on the	Carcinogens: category 1B (64742-46-7), Carcinogens: category 1B (72623-87-1),
manufacture, placing on the market and	Carcinogens: category 1B (72623-87-1), Phosphorodithioic acid, mixed O,O-bis(2-
use of certain dangerous substances,	ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9), Benzenamine, N-
mixtures and articles	phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1),
	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0),
	reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and
	molybdenumtrioxide (1.75-2.2: 0.75-1.0:0.1-1.1) (), calcium dihydroxide (1305-62-0),
	diphenylamine (122-39-4)
Community Rolling Action Plan (CoRAP)	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-
	1)
Regulation (EC) N° 850/2004 of the	Not listed
European Parliament and of the Council	
on persistent organic pollutants	
Regulation (EC) N° 1005/2009 on	Not listed
substances that deplete the ozone layer	
Regulation (EU) N° 649/2012 of the	Diphenylamine (122-39-4)
European Parliament and of the Council	
concerning the export and import of	
hazardous chemicals	
National regulations	
Other	Not known.
15.2 Chemical Safety Assessment	
	A REACH chemical safety assessment has not been carried out.

A REACH chemical safety assessment has not been carried out.

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

#### LEGEND

Hazard Pictogram(s)

None.



# = Pro Power 0W/20 C5 ECO

	GHS05: GHS: Corrosion
	GHS06: GHS: Skull and crossbones
	GHS07: GHS: Exclamation mark
	GHS08: GHS: Health hazard
	GHS09: GHS: Environment
	GR509. GR5. Environment
I law and allow first in a	Anthe Tow 2 - Anthe Antheit - Onterior - 2
Hazard classification	Acute Tox. 3 : Acute toxicity, Category 3 Asp. Tox. 1 : Aspiration hazard, Category 1
	Acute Tox. 3 : Acute toxicity, Category 3
	Skin Irrit. 2 : Skin corrosion/irritation, Category 2
	Skin Sens. 1B : Skin sensitization, Category 1B
	Eye Dam. 1 : Serious eye damage/irritation, Category 1
	Acute Tox. 3 : Acute toxicity, Category 3
	Acute Tox. 4 : Acute toxicity, Category 4
	STOT SE 3 : Specific target organ toxicity — single exposure, Category 3
	Carc. 1B : Carcinogenicity, Category 1B
	STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2
	Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1
	Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1
	Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
	Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3
Hazard Statement(s)	H301: Toxic if swallowed.
	H304: May be fatal if swallowed and enters airways.
	H311: Toxic in contact with skin.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H331: Toxic if inhaled.
	H332: Harmful if inhaled.
	H335: May cause respiratory irritation.
	H350: May cause cancer.
	H373: May cause damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H411: Toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.



# Pro Power 0W/20 C5 ECO

Precautionary Statement(s)	None.
Acronyms	ATE : Acute Toxicity Estimate
	CAS : Chemical Abstracts Service
	CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substances and mixtures
	DNEL : Derived No Effect Level
	EC : European Community
	EINECS : European Inventory of Existing Commercial Chemical Substances
	LTEL : Long term exposure limit
	PBT : Persistent, Bioaccumulative and Toxic
	PNEC : Predicted No Effect Concentration
	REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
	STEL : Short term exposure limit
	STOT : Specific Target Organ Toxicity
	vPvB : very Persistent and very Bioaccumulative
Key literature references and sources for	Regulation (EC) No. 1272/2008 (CLP)
data used to compile the SDS	
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believe
	to be accurate and is given in good faith, but it is for the Users to satisfy themselves

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Rapid Group UK gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Rapid Group UK accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.