

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product Name Pro Power HD 75W/85 FS  
Product code B119

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s) Lubricating oil.  
Uses Advised Against Not known.

**1.3 Details of the supplier of the safety data sheet**

## Manufacturer

Company Identification Rapid Group UK  
Address of Manufacturer Rutland Mill,  
Adelaide Street,  
Bolton,  
Postal code BL3 3NY  
Telephone: 01204 324 268

## Supplier

Company Identification Rapid Ireland  
Address of Supplier Rock Street,  
Tralee,,  
Co Kerry  
Postal code V92 WR9P  
Telephone: ++353 151 363 47

**1.4 Emergency telephone number**

Emergency Phone No. 999  
Contact NHS

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

**2.2 Label elements**

According to Regulation (EC) No. 1272/2008 (CLP)  
Product Name Pro Power HD 75W/85 FS  
Hazard Pictogram(s) None.  
Signal Word(s) None.  
Hazard Statement(s) H412: Harmful to aquatic life with long lasting effects.

Pro Power HD 75W/85 FS

EUH208: Contains: (Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched))  
May produce an allergic reaction.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P273: Avoid release to the environment.  
P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Distillates (petroleum), hydrotreated heavy paraffinicBaseoil - unspecified[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	64742-54-7		4-7	Not classified	None
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	141904-03-2	931-384-6 01- 2119493620- 38	<1	Acute Tox. 4 H302 Skin Sens. 1B H317 Eye Irrit. 2 H319 Aquatic Chronic 2 H411	GHS07 GHS09
Distillates (petroleum), solvent-dewaxed heavy paraffinicBaseoil - unspecified[A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization.	64742-65-0	265-169-7 01- 2119471299- 27	<1	Asp. Tox. 1 H304	GHS08

It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity not less than 100 SUS at 100 °F (19cSt at 40 °C).]					
Distillates (petroleum), solvent-refined heavy paraffinicBaseoil - unspecified[A complex combination of hydrocarbons obtained as the raffinate from a solvent extraction process. It consists predominantly of saturated hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).]	64741-88-4	265-090-8	<1	Not classified	None
Distillates (petroleum), solvent-dewaxed light paraffinicBaseoil - unspecified[A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C).]	64742-56-9		0.5-3.5	Asp. Tox. 1 H304	GHS08
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	89347-09-1	293-927-7 01- 2119976351- 35	<1	Aquatic Chronic 3 H412	None
C16-18-(even numbered, saturated and unsaturated)-alkylamines	112-90-3	627-034-4 01- 2119473797- 19	<1	Acute Tox. 4 H302 Asp. Tox. 1 H304 Skin Corr. 1B H314 Eye Dam. 1 H318 STOT SE 3 H335 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS08 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	141904-03-2			Acute Tox. 4 (H302) : 500

C16-18-(even numbered, saturated and unsaturated)-alkylamines	112-90-3			Acute Tox. 4 (H302) : 500
---	----------	--	--	------------------------------

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

#### SECTION 4: FIRST AID MEASURES

##### 4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Wash out mouth with water.

##### 4.2 Most important symptoms and effects, both acute and delayed

Treat symptomatically.

##### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: FIREFIGHTING MEASURES

##### 5.1 Extinguishing media

Suitable Extinguishing media	Foam, CO <sub>2</sub> or dry Powder.
Unsuitable extinguishing media	Do not use water

##### 5.2 Special hazards arising from the substance or mixture

Heating may cause decomposition.

##### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

##### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

##### 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

##### 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

##### 6.4 Reference to other sections

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling****7.2 Conditions for safe storage, including any incompatibilities**

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.

**7.3 Specific end use(s)**

Not known.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

8.1.1 Occupational Exposure Limits	No Occupational Exposure Limit assigned.
------------------------------------	--

**8.2 Exposure controls**

8.2.1. Appropriate engineering controls	Ensure adequate ventilation.
8.2.2. Personal protection equipment	



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear Impervious Gloves (EN374)



Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls	Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.
--	--

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Amber.
Odour	Characteristic odour.
Melting point/freezing point	Not known.

## Pro Power HD 75W/85 FS

Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	≥25 mm <sup>2</sup> /s
Solubility	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.
<b>9.2 Other information</b>	None.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

None anticipated.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

None anticipated.

**10.5 Incompatible materials**

Not known.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 50607.29
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.

## Pro Power HD 75W/85 FS

Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

**11.2 Information on other hazards**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

**12.2 Persistence and degradability**

Not known.

**12.3 Bioaccumulative potential**

Not known.

**12.4 Mobility in soil**

Not known.

**12.5 Results of PBT and vPvB assessment**

Not known.

**12.6 Endocrine disrupting properties**

None known.

**12.7 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Dispose of this material and its container to hazardous or special waste collection point.

Dispose at suitable refuse site.

**13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION**

Not classified as hazardous for transport.

<b>14.1 UN number or ID number</b>	Not applicable
<b>14.2 UN proper shipping name</b>	Not applicable
<b>14.3 Transport hazard class(es)</b>	Not applicable
<b>14.4 Packing group</b>	Not applicable
<b>14.5 Environmental hazards</b>	Not classified as a Marine Pollutant.
<b>14.6 Special precautions for user</b>	Not known
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not known

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Carcinogens: category 1B (64742-54-7), Carcinogens: category 1B (64742-65-0), Carcinogens: category 1B (64741-88-4), Carcinogens: category 1B (64742-56-9), Carcinogens: category 1B (72623-87-1), Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (141904-03-2), 1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol (89347-09-1), C16-18-(even numbered, saturated and unsaturated)-alkylamines (112-90-3)

Community Rolling Action Plan (CoRAP) Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (931-384-6)

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

European Parliament and of the Council

concerning the export and import of hazardous chemicals

hazardous chemicals

concerning the export and import of hazardous chemicals

**National regulations**

Other Not known.

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)	None.  GHS05: GHS: Corrosion GHS07: GHS: Exclamation mark GHS08: GHS: Health hazard GHS09: GHS: Environment
Hazard classification	Acute Tox. 4 : Acute toxicity, Category 4 Asp. Tox. 1 : Aspiration hazard, Category 1 Skin Corr. 1B : Skin corrosion/irritation, Category 1B Skin Sens. 1B : Skin sensitization, Category 1B Eye Dam. 1 : Serious eye damage/irritation, Category 1 Eye Irrit. 2 : Serious eye damage/irritation, Category 2 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3
Hazard Statement(s)	H302: Harmful if swallowed. H304: May be fatal if swallowed and enters airways. H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H373: May cause damage to organs through prolonged or repeated exposure. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement(s)	P273: Avoid release to the environment.

**Pro Power HD 75W/85 FS**

P501: Dispose of contents in accordance with local, state or national legislation.

## Acronyms

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

## Training Advice

Regular safety training as appropriate

## Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Rapid Group UK gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Rapid Group UK accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.