

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Pro Power 75W/80 MTF

Product code B320

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)Lubricating oil.Uses Advised AgainstNot known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Rapid Group UK
Address of Manufacturer Rutland Mill,
Adelaide Street,

Bolton,

Postal code BL3 3NY

Telephone: 01204 324 268

Supplier

Company Identification Rapid Ireland
Address of Supplier Rock Street,

Tralee,,

Co Kerry

Postal code V92 WR9P

Telephone: +353 151 363 47

1.4 Emergency telephone number

Emergency Phone No. 999
Contact NHS

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Pro Power 75W/80 MTF

Hazard Pictogram(s) None.

Signal Word(s) None.

Hazard Statement(s) H412: Harmful to aquatic life with long lasting effects.





EUH208: Contains: (Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), May produce an allergic reaction.

Precautionary Statement(s) P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration			
		No.			
Lubricating oils (petroleum), C15-30,	72623-86-0	276-737-9	77-80	Asp. Tox. 1 H304	GHS08
hydrotreated neutral oil-basedBaseoil					
Distillates (petroleum), hydrotreated heavy	64742-54-7	265-157-1	<3	Not classified	None
paraffinicBaseoil - unspecified[A complex		01-			
combination of hydrocarbons obtained by		2119484627-			
treating a petroleum fraction with hydrogen in		25			
the presence of a catalyst. It consists of					
hydrocarbons having carbon numbers					
predominantly in the range of C20 through					
C50 and produces a finished oil of at least					
100 SUS at 100 °F (19cSt at 40 °C). It					
contains a relatively large proportion of					
saturated hydrocarbons.]					
Distillates (petroleum), solvent-refined heavy	64741-88-4	265-090-8	<1	Not classified	None
paraffinicBaseoil - unspecified[A complex					
combination of hydrocarbons obtained as the					
raffinate from a solvent extraction process. It					
consists predominantly of saturated					
hydrocarbons having carbon numbers					
predominantly in the range of C20 through					
C50 and produces a finished oil with a					



viscosity of at least 100 SUS at 100 °F (19cSt					
at 40 °C).]					
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)		931-384-6 01- 2119493620- 38	<1	Acute Tox. 4 H302 Skin Sens. 1 H317 Eye Irrit. 2 H319 Aquatic Chronic 2 H411	GHS07 GHS09
Distillates (petroleum), solvent-dewaxed heavy paraffinicBaseoil - unspecified[A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity not less than 100 SUS at 100 °F (19cSt at 40 °C).]	64742-65-0	265-169-7	<1	Asp. Tox. 1 H304	GHS08
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol		293-927-7 01- 2119976351- 35	<0.5	Aquatic Chronic 3 H412	None
C16-18-(even numbered, saturated and unsaturated)-alkylamines		627-034-4 01- 2119473797- 19	<0.5	Acute Tox. 4 H302 Asp. Tox. 1 H304 Skin Corr. 1B H314 Eye Dam. 1 H318 STOT SE 3 H335 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS05 GHS08 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit		M-	ATE
				factor	
Reaction products of bis(4-methylpentan-2-		Skin Sens. 1	C> 9.39 <=		Acute Tox. 4
yl)dithiophosphoric acid with phosphorus oxide, propylene			100.00		(H302) : 500
oxide and amines, C12-14-alkyl (branched)		Eye Irrit. 2	C> 50.00 <=		
			100.00		
C16-18-(even numbered, saturated and unsaturated)-					Acute Tox. 4
alkylamines					(H302) : 500



Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Wash skin with water.

Eye Contact Flush eyes with water for at least 15 minutes.

Ingestion Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

#### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing media Foam, CO<sub>2</sub> or dry Powder

Unsuitable extinguishing media Do not use water.

5.2 Special hazards arising from the substance or mixture

Heating may cause decomposition.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Dike fire control water for later disposal.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and

watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

### SECTION 7: HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Page: 4 - 10 Revision: 1 - Replaces:



#### 7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Not known.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits No Occupational Exposure Limit assigned.

8.2 Exposure controls

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear Impervious Gloves (EN374)



Respiratory protection 

Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state Liquid.
Colour Amber.

Odour Characteristic odour.

Melting point/freezing point Not known.

Boiling point or initial boiling point and Not known.

boiling range

Flammability

Lower and upper explosion limit

Not known.

Flash Point

=>200 °C

Auto-ignition temperature

Not known.

PRO+POWER

ULTRA

Date of Revision: 28-10-2024

#### Pro Power 75W/80 MTF

Decomposition Temperature Not known. pH Not known.

Kinematic Viscosity >40 mm²/s 40 °C

Solubility Solubility (Water) : Insoluble.

Solubility (Other): Not known.

Partition coefficient n-octanol/water (log Not known.

value)

Vapour pressure Not known.

Density and/or relative density 0.85 g/cm³ - Relative density: 15 °C.

Relative vapour density Not known.

Particle characteristics Not known.

9.2 Other information

None.

#### SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 56689.34

Acute toxicity - Skin Contact Calculation method: Not classified. Acute toxicity - Inhalation Calculation method: Not classified. Skin corrosion/irritation Calculation method: Not classified. Serious eye damage/irritation Calculation method: Not classified. Skin sensitization data Calculation method: Not classified. Respiratory sensitization data Calculation method: Not classified. Germ cell mutagenicity Calculation method: Not classified. Carcinogenicity Calculation method: Not classified. Reproductive toxicity Calculation method: Not classified. Calculation method: Not classified. Lactation STOT - single exposure Calculation method: Not classified.

Date of Revision: 28-10-2024



#### Pro Power 75W/80 MTF

STOT - repeated exposure Calculation method : Not classified.

Aspiration hazard Calculation method : Not classified.

11.2 Information on other hazards

Not known.

#### SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

#### SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Dispose of this material and its container to hazardous or special waste collection point.

Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

#### SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Page: 7 - 10 Revision: 1 - Replaces:

SAFETY DATA SHEET

Date of Revision: 28-10-2024

# PRO+POWER ULTRA

#### Pro Power 75W/80 MTF

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not listed

Not listed

Not listed

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation

REACH: Annex XVII Restrictions on the

manufacture, placing on the market and

use of certain dangerous substances,

mixtures and articles

Carcinogens: category 1B (64742-54-7), Carcinogens: category 1B (64742-65-0),

Carcinogens: category 1B (64741-88-4), Carcinogens: category 1B (72623-86-0),

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus

oxide, propylene oxide and amines, C12-14-alkyl (branched) (), 1,3,4-

Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-

nonanethiol (), C16-18-(even numbered, saturated and unsaturated)-alkylamines ()

Community Rolling Action Plan (CoRAP) Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus

oxide, propylene oxide and amines, C12-14-alkyl (branched) (931-384-6)

Regulation (EU) N° 2019/1021 of the

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the European Parliament and of the Council

concerning the export and import of

hazardous chemicals

National regulations

Other Not known

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

#### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

#### **LEGEND**

Page: 8 - 10 Revision: 1 - Replaces:



Hazard Pictogram(s) None.

GHS05: GHS: Corrosion

GHS07: GHS: Exclamation mark GHS08: GHS: Health hazard

GHS09: GHS: Environment

Hazard classification Acute Tox. 4: Acute toxicity, Category 4

Asp. Tox. 1: Aspiration hazard, Category 1

Skin Corr. 1B: Skin corrosion/irritation, Category 1B

Skin Sens. 1: Skin sensitization, Category 1

Eye Dam. 1 : Serious eye damage/irritation, Category 1
Eye Irrit. 2 : Serious eye damage/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2  $\,$ 

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s) H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P273: Avoid release to the environment.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL : Derived No Effect Level

Page: 9 - 10 Revision: 1 - Replaces:





EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Rapid Group UK gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Rapid Group UK accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Page: 10 - 10 Revision: 1 - Replaces: