

Pro Power 5W/30 C3 DX2

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Pro Power 5W/30 C3 DX2
Product code	A329
1.2 Relevant identified uses of the subst	ance or mixture and uses advised against
Identified Use(s)	Lubricating oil
Uses Advised Against	Not known.
1.3 Details of the supplier of the safety d	ata sheet
Manufacturer	
Company Identification	Rapid Group UK.
Address of Manufacturer	Rutland Mill,
	Adelaide Street,
	Bolton,
Postal code	BL3 3NY
Telephone:	01204 324 268
Supplier	
Company Identification	Rapid Ireland
Address of Supplier	Rock Street,
	Tralee,,
	Co Kerry
Postal code	V92 WR9P
Telephone:	+353 151 363 47
1.4 Emergency telephone number	
Emergency Phone No.	999
Contact	NHS

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
2.2 Label elements	
	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	Pro Power 5W/30 C3 DX2
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	None.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand.
	P102: Keep out of reach of children.



2.3 Other hazards

EUH208: Contains: (Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts) May produce an allergic reaction.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified	72623-87-1	276-738-4	50 - 90	Asp. Tox. 1 H304	GHS08
reaction mass of isomers of: C7-9-alkyl 3-(3,5- di-tert-butyl-4-hydroxyphenyl)propionate	125643-61-0	406-040-9	<0.5	Aquatic Chronic 4 H413	None
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	270-128-1	< 1	Aquatic Chronic 3 H412	None
Phosphorodithioic acid, mixed O,O-bis(2- ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	85940-28-9	288-917-4	< 2	Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Chronic 2 H411	GHS05 GHS07 GHS09
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7	< 1	Skin Sens. 1B H317	GHS07
reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-1.0:0.1- 1.1)		430-380-7	< 0.5	Aquatic Chronic 2 H411	GHS09
calcium dihydroxide	1305-62-0	215-137-3		Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335	GHS05 GHS07
diphenylamine	122-39-4	204-539-4		Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 3 H331 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS08 GHS09



Distillates (petroleum), hydrotreated middle	64742-46-7	265-148-2	< 0.5	Asp. Tox. 1 H304	GHS08
Gasoil - unspecified [A complex combination				Skin Irrit. 2 H315	GHS07
of hydrocarbons obtained by treating a				Acute Tox. 4 H332	GHS09
petroleum fraction with hydrogen in the				Carc. 1B H350	
presence of a catalyst. It consists of				STOT RE 2 H373	
hydrocarbons having carbon numbers				Aquatic Chronic 2 H411	
predominantly in the range of C11 through C25					
and boiling in the range of approximately					
205 °C to 400 °C (401 °F to 752 °F).]					

HAZARDOUS INGREDIENT(S)	CAS No.	Specific	M-	ATE
		Concentration	factor	
		Limit		
diphenylamine	122-39-4			Acute Tox.
				3 (H301)
				:100.000
				Acute Tox.
				3 (H311)
				:300.000
				Acute Tox.
				3 (H331) :
				3.000
Distillates (petroleum), hydrotreated middle Gasoil - unspecified [A complex	64742-46-7			Acute Tox.
combination of hydrocarbons obtained by treating a petroleum fraction with				4 (H332) :
hydrogen in the presence of a catalyst. It consists of hydrocarbons having				11.000
carbon numbers predominantly in the range of C11 through C25 and boiling				
in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]				

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures	
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Wash out mouth with water.
4.2 Most important symptoms and effect	ts, both acute and delayed
	May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed



Pro Power 5W/30 C3 DX2

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES				
5.1 Extinguishing media				
Suitable Extinguishing media	Foam, CO₂ or dry Powder.			
Unsuitable extinguishing media	Do not use water.			
5.2 Special hazards arising from the s	ubstance or mixture			
	None anticipated. Heating may cause decomposition.			
5.3 Advice for firefighters				
Ū	As appropriate for surrounding fire.			
SECTION 6: ACCIDENTAL RELEASE	MEASURES			
6.1 Personal precautions, protective e	guipment and emergency procedures			
	Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.			
6.2 Environmental precautions				
	Do not release large quantities into the surface water or into drains.			
6.3 Methods and material for containm				
	Adsorb spillages onto sand, earth or any suitable adsorbent material.			
6.4 Reference to other sections				
	See Also Section 8, 13.			
SECTION 7: HANDLING AND STORA	GE			
7.1 Precautions for safe handling				
	Not known.			
7.2 Conditions for safe storage, including any incompatibilities				
Storage temperature	Ambient.			
Storage life	Stable under normal conditions.			
Incompatible materials	None known.			

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Lubricating oil

8.1 Control parameters

7.3 Specific end use(s)

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA	LTEL (8 hr TWA	STEL	STEL	Note
		ppm)	mg/m³)	(ppm)	(mg/m³)	
Calcium hydroxide	1305-62-0		5			



-	kide - Respirable	1305-62-0		1		4	
fraction Diphenylamine		122-39-4		10		20	
Region United Kingdom	Source UK Workplace Exposur	re Limits EH40/2005 (Fourt	h edition, published 2020;)			
Remark	Notes						
8.2 Exposure of	controls						
	iate engineering con I protection equipme		uate ventilation.				
	Eye Protection		otection with side p	rotection (EN166).			
	Skin protection	Wear Imperv	Wear Impervious Gloves (EN374)				
	Respiratory protect	ion In case of ins	sufficient ventilation	, wear suitable respira	atory equipme	ent.	
	Thermal hazards	None known					

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

odour
odour
ououi
°C
er) : Not known.
er) : Not known.



Date of Revision: 24-10-2024

= Pro Power 5W/30 C3 DX2

Partition coefficient n-octanol/water (log	Not known.
value)	
Vapour pressure	Not known.
Density and/or relative density	Density (g/ml): 0.854 g/cm ³ - Relative density: 15 °C
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	
		None anticipated.
10.2	Chemical Stability	
		Stable under normal conditions.
10.3	Possibility of hazardous reactions	
		No hazardous reactions known if used for its intended purpose.
10.4	Conditions to avoid	
		None anticipated.
10.5	Incompatible materials	
		Not known.
10.6	Hazardous decomposition products	
		No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000
Acute toxicity - Skin Contact	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000
Acute toxicity - Inhalation	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 30697.67000
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Not classified.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
11.2 Information on other hazards	



Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.	
Toxicity - Fish	Low toxicity to fish.	
Toxicity - Algae	Low toxicity to algae.	
Toxicity - Sediment Compartment	Not classified.	
Toxicity - Terrestrial Compartment	Not classified.	
12.2 Persistence and degradability		
	Not known.	
12.3 Bioaccumulative potential		
	Not known.	
12.4 Mobility in soil		
	Not known.	
12.5 Results of PBT and vPvB assessment		
	Not known.	
12.6 Endocrine disrupting properties		
	None known.	
12.7 Other adverse effects		
	Not known.	

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods		
	Dispose at suitable refuse site.	
13.2 Additional Information		
	No special precautions are required for this product.	
SECTION 14: TRANSPORT INFORMATION		
Not classified as hazardous for transpor	t.	
14.1 UN number or ID number		
	Not applicable	
14.2 UN proper shipping name		
	Not applicable	
14.3 Transport hazard class(es)		
	Not applicable	
14.4 Packing group		
	Not applicable	



Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental rea	gulations/legislation specific for the substance or mixture
European Regulations - Authorisations a	nd/or Restrictions On Use
Candidate List of Substances of Very	Not listed
High Concern for Authorisation	
REACH: ANNEX XIV list of substances	Not listed
subject to authorisation	
REACH: Annex XVII Restrictions on the	Carcinogens: category 1B (64742-46-7), Carcinogens: category 1B (72623-87-1),
manufacture, placing on the market and	Carcinogens: category 1B (72623-87-1), Phosphorodithioic acid, mixed O,O-bis(2-
use of certain dangerous substances,	ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9), Benzenamine, N-
mixtures and articles	phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1),
	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts (70024-69-0),
	reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and
	molybdenumtrioxide (1.75-2.2: 0.75-1.0:0.1-1.1) (), calcium dihydroxide (1305-62-0),
	diphenylamine (122-39-4)
Community Rolling Action Plan (CoRAP)	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-
	1)
Regulation (EC) N° 850/2004 of the	Not listed
European Parliament and of the Council	
on persistent organic pollutants	
Regulation (EC) N° 1005/2009 on	Not listed
substances that deplete the ozone layer	
Regulation (EU) N° 649/2012 of the	Diphenylamine (122-39-4)
European Parliament and of the Council	
concerning the export and import of	
hazardous chemicals	
National regulations	
Other	Not known.
15.2 Chemical Safety Assessment	
	A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)

None.



Date of Revision: 24-10-2024

Pro Power 5W/30 C3 DX2

GHS05: GHS: Corrosion GHS06: GHS: Skull and crossbones GHS07: GHS: Exclamation mark GHS08: GHS: Health hazard GHS09: GHS: Environment

Acute Tox. 3 : Acute toxicity, Category 3

Hazard classification

Asp. Tox. 1 : Aspiration hazard, Category 1
Acute Tox. 3 : Acute toxicity, Category 3
Skin Irrit. 2 : Skin corrosion/irritation, Category 2
Skin Sens. 1B : Skin sensitization, Category 1B
Eye Dam. 1 : Serious eye damage/irritation, Category 1
Acute Tox. 3 : Acute toxicity, Category 3
Acute Tox. 4 : Acute toxicity, Category 4
STOT SE 3 : Specific target organ toxicity — single exposure, Category 3
Carc. 1B : Carcinogenicity, Category 1B
STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2
Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1
Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 2
Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s)

H304: May be fatal if swallowed and enters airways.

H311: Toxic in contact with skin.

H315: Causes skin irritation.

H301: Toxic if swallowed.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H350: May cause cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.



Pro Power 5W/30 C3 DX2

Precautionary Statement(s)	None.
Acronyms	ATE : Acute Toxicity Estimate
	CAS : Chemical Abstracts Service
	CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substances and mixtures
	DNEL : Derived No Effect Level
	EC : European Community
	EINECS : European Inventory of Existing Commercial Chemical Substances
	LTEL : Long term exposure limit
	PBT : Persistent, Bioaccumulative and Toxic
	PNEC : Predicted No Effect Concentration
	REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
	STEL : Short term exposure limit
	STOT : Specific Target Organ Toxicity
	vPvB : very Persistent and very Bioaccumulative
Key literature references and sources for	r Regulation (EC) No. 1272/2008 (CLP)

data used to compile the SDS Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Rapid Group UK. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Rapid Group UK. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.