

SAFETY DATA SHEET

= Pro Power HD 75W GL-4

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Pro Power HD 75W GL-4
Product code	B240
1.2 Relevant identified uses of the subst	ance or mixture and uses advised against
Identified Use(s)	Lubricating oil.
Uses Advised Against	Not known.
1.3 Details of the supplier of the safety of	lata sheet
Manufacturer	
Company Identification	Rapid Group UK
Address of Manufacturer	Rutland Mill,
	Adelaide Street,
	Bolton
Postal code	BL3 3NY
Telephone:	01204 324 268
Supplier	
Company Identification	Rapid Ireland
Address of Supplier	Rock Street,
	Tralee,,
	Co Kerry
Postal code	V92 WR9P
Telephone:	+353 151 363 47
1.4 Emergency telephone number	
Emergency Phone No.	999
Contact	NHS

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)	Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.
2.2 Label elements	
	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	Pro Power HD 75W GL-4
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	H412: Harmful to aquatic life with long lasting effects.

PRO+POWER ULTRA		Date of Revision: 24-10-2024
	Pro Power HD 75W GL-4	
	EUH208: Contains: (Reaction products of bis(4-met acid with phosphorus oxide, propylene oxide and ar May produce an allergic reaction.	
Precautionary Statement(s)	P101: If medical advice is needed, have product con P102: Keep out of reach of children. P501: Dispose of contents in accordance with local,	
2.3 Other hazards	None known.	
2.4 Additional Information		

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration			
		No.			
Lubricating oils (petroleum), C15-30,	72623-86-0	276-737-9	77-80	Asp. Tox. 1 H304	GHS08
hydrotreated neutral oil-basedBaseoil					
Distillates (petroleum), hydrotreated heavy	64742-54-7	265-157-1	<3	Not classified	None
paraffinicBaseoil - unspecified[A complex		01-			
combination of hydrocarbons obtained by		2119484627-			
treating a petroleum fraction with hydrogen in		25			
the presence of a catalyst. It consists of					
hydrocarbons having carbon numbers					
predominantly in the range of C20 through					
C50 and produces a finished oil of at least					
100 SUS at 100 °F (19cSt at 40 °C). It					
contains a relatively large proportion of					
saturated hydrocarbons.]					
Distillates (petroleum), solvent-refined heavy	64741-88-4	265-090-8	<1	Not classified	None
paraffinicBaseoil - unspecified[A complex					
combination of hydrocarbons obtained as the					
raffinate from a solvent extraction process. It					
consists predominantly of saturated					
hydrocarbons having carbon numbers					
predominantly in the range of C20 through					
C50 and produces a finished oil with a					



= Pro Power HD 75W GL-4

viscosity of at least 100 SUS at 100 °F (19cSt					
at 40 °C).]					
Reaction products of bis(4-methylpentan-2-		931-384-6	<1	Acute Tox. 4 H302	GHS07
yl)dithiophosphoric acid with phosphorus		01-		Skin Sens. 1 H317	GHS09
oxide, propylene oxide and amines, C12-14-		2119493620-		Eye Irrit. 2 H319	
alkyl (branched)		38		Aquatic Chronic 2 H411	
Distillates (petroleum), solvent-dewaxed	64742-65-0	265-169-7	<1	Asp. Tox. 1 H304	GHS08
heavy paraffinicBaseoil - unspecified[A					
complex combination of hydrocarbons					
obtained by removal of normal paraffins from					
a petroleum fraction by solvent crystallization.					
It consists predominantly of hydrocarbons					
having carbon numbers predominantly in the					
range of C20 through C50 and produces a					
finished oil with a viscosity not less than 100					
SUS at 100 °F (19cSt at 40 °C).]					
1,3,4-Thiadiazolidine-2,5-dithione, reaction		293-927-7	<0.5	Aquatic Chronic 3 H412	None
products with hydrogen peroxide and tert-		01-			
nonanethiol		2119976351-			
		35			
C16-18-(even numbered, saturated and		627-034-4	<0.5	Acute Tox. 4 H302	GHS05
unsaturated)-alkylamines		01-		Asp. Tox. 1 H304	GHS08
		2119473797-		Skin Corr. 1B H314	GHS07
		19		Eye Dam. 1 H318	GHS09
				STOT SE 3 H335	
				STOT RE 2 H373	
				Aquatic Acute 1 H400	
				Aquatic Chronic 1 H410	

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Conce	Specific Concentration Limit		ATE
				factor	
Reaction products of bis(4-methylpentan-2-		Skin Sens. 1	C> 9.39 <=		Acute Tox. 4
yl)dithiophosphoric acid with phosphorus oxide, propylene			100.00		(H302) : 500
oxide and amines, C12-14-alkyl (branched)		Eye Irrit. 2	C> 50.00 <=]	
			100.00		
C16-18-(even numbered, saturated and unsaturated)-					Acute Tox. 4
alkylamines					(H302) : 500



Pro Power HD 75W GL-4

Contains no non-classified vPvB substances. Contains no non-classified substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position			
	comfortable for breathing.			
Skin Contact	Wash skin with water.			
Eye Contact Flush eyes with water for at least 15 minutes.				
Ingestion Wash out mouth with water.				
4.2 Most important symptoms and effects, both acute and delayed				
	None anticipated. Treat symptomatically.			

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media	
Suitable Extinguishing media	Foam, CO ₂ or dry Powder
Unsuitable extinguishing media	Do not use water.
5.2 Special hazards arising from the su	ibstance or mixture
	Heating may cause decomposition.
5.3 Advice for firefighters	
	Fire fighters should wear complete protective clothing including self-contained
	breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures				
	Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.			
6.2 Environmental precautions				
	Spillages or uncontrolled discharges into watercourses must be alerted to the			
	appropriate regulatory body.			
6.3 Methods and material for containme	nt and cleaning up			
	Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain			
	spillages with sand, earth or any suitable adsorbent material. Earth may be			
	shovelled to contain spillage and to avoid contamination of sewers and			
	watercourses.			
6.4 Reference to other sections				
	See Also Section 8, 13.			

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling



Pro Power HD 75W GL-4

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.
7.3 Specific end use(s)	

Not known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposur	e Limits No Occu	pational Exposure Limit assigned.
8.2 Exposure controls		
8.2.1. Appropriate engineeri	ng controls Ensure a	dequate ventilation.
8.2.2. Personal protection e	quipment	
Eye Protection	on Wear eye	e protection with side protection (EN166).
Skin protecti	on Wear Imp	pervious Gloves (EN374)
Respiratory	protection Normally	no personal respiratory protection is necessary.
Thermal haz	ards None kno	own.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Amber.
Odour	Characteristic odour.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and	Not known.
boiling range	
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	=>200 °C
Auto-ignition temperature	Not known.



Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	>40 mm²/s 40 °C
Solubility	Solubility (Water) : Insoluble.
	Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log	Not known.
value)	
Vapour pressure	Not known.
Density and/or relative density	0.85 g/cm ³ - Relative density: 15 °C.
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	
	None.

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	
		None anticipated.
10.2	Chemical Stability	
		Stable under normal conditions.
10.3	Possibility of hazardous reactions	
		No hazardous reactions known if used for its intended purpose.
10.4	Conditions to avoid	
		None anticipated.
10.5	Incompatible materials	
		Not known.
10.6	Hazardous decomposition products	
		No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 56689.34
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.



Pro Power HD 75W GL-4

STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.
11.2 Information on other hazards	
	Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

	Harmful to aquatic life with long lasting effects.
Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and degradability	
	Not known.
12.3 Bioaccumulative potential	
	Not known.
12.4 Mobility in soil	
	Not known.
12.5 Results of PBT and vPvB assessme	ent
	Not known.
12.6 Endocrine disrupting properties	
	None known.
12.7 Other adverse effects	
	Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	
	Dispose of contents in accordance with local, state or national legislation. Dispose
	of this material and its container to hazardous or special waste collection point.
	Dispose at suitable refuse site.
13.2 Additional Information	
	Disposal should be in accordance with local, state or national legislation.
SECTION 14: TRANSPORT INFORMATION	
Not classified as hazardous for transport.	

14.1	UN number or ID number	
		Not applicable
14.2	UN proper shipping name	
		Not applicable
14.3	Transport hazard class(es)	



SAFETY DATA SHEET

Pro Power HD 75W GL-4

		Not applicable
14.4	Packing group	
		Not applicable
14.5	Environmental hazards	
		Not classified as a Marine Pollutant.
14.6	Special precautions for user	
		Not known
14.7	Maritime transport in bulk according	to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use		
Candidate List of Substances of Very	Not listed	
High Concern for Authorisation		
REACH: ANNEX XIV list of substances	Not listed	
subject to authorisation		
REACH: Annex XVII Restrictions on the	Carcinogens: category 1B (64742-54-7), Carcinogens: category 1B (64742-65-0),	
manufacture, placing on the market and	Carcinogens: category 1B (64741-88-4), Carcinogens: category 1B (72623-86-0),	
use of certain dangerous substances,	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus	
mixtures and articles	oxide, propylene oxide and amines, C12-14-alkyl (branched) (), 1,3,4-	
	Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-	
	nonanethiol (), C16-18-(even numbered, saturated and unsaturated)-alkylamines ()	
Community Rolling Action Plan (CoRAP)	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus	
	oxide, propylene oxide and amines, C12-14-alkyl (branched) (931-384-6)	
Regulation (EU) N° 2019/1021 of the	Not listed	
European Parliament and of the Council		
on persistent organic pollutants		
Regulation (EC) N° 1005/2009 on	Not listed	
substances that deplete the ozone layer		
Regulation (EU) N° 649/2012 of the	Not listed	
European Parliament and of the Council		
concerning the export and import of		
hazardous chemicals		
National regulations		
Other	Not known.	
15.2 Chemical Safety Assessment		

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND



Date of Revision: 24-10-2024

Hazard Pictogram(s)	None.
	GHS05: GHS: Corrosion
	GHS07: GHS: Exclamation mark
	GHS08: GHS: Health hazard
	GHS09: GHS: Environment
Hazard classification	Acute Tox. 4 : Acute toxicity, Category 4
	Asp. Tox. 1 : Aspiration hazard, Category 1
	Skin Corr. 1B : Skin corrosion/irritation, Category 1B
	Skin Sens. 1 : Skin sensitization, Category 1
	Eye Dam. 1 : Serious eye damage/irritation, Category 1
	Eye Irrit. 2 : Serious eye damage/irritation, Category 2
	STOT SE 3 : Specific target organ toxicity — single exposure, Category 3
	STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2
	Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1
	Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1
	Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
	Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3
Hazard Statement(s)	H302: Harmful if swallowed.
	H304: May be fatal if swallowed and enters airways.
	H314: Causes severe skin burns and eye damage.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H373: May cause damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	H411: Toxic to aquatic life with long lasting effects.
	H412: Harmful to aquatic life with long lasting effects.
Precautionary Statement(s)	P273: Avoid release to the environment.
	P501: Dispose of contents in accordance with local, state or national legislation.
Acronyms	ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service
	CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of
	substances and mixtures



SAFETY DATA SHEET

Date of Revision: 24-10-2024

Pro Power HD 75W GL-4

EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS Disclaimers Information contained in this publication

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Rapid Group UK gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Rapid Group UK accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.